


PLUMBING SCHEDULE

[illegible]

NINFA'S ON NAVIGATION
2704 NAVIGATION BLVD.
HOUSTON, TX 77003

C & T DESIGN & EQUIPMENT CO., INC.
2855 TOBEY DR. INDIANAPOLIS, INDIANA 46219
PHONE: 317-898-9602
DESIGN & SALES TO ALL TYPES OF FOOD SERVICE OPERATIONS
FOODSERVICE PLUMBING ROUGH-IN PLAN

PROJECT MANAGER
E-MAIL ADDRESS
CHARLES MUNRO
CMUNRO@C-TDESIGN.COM



JOB NO. 90-6206

SHEET NUMBER

K2

OF 03

PLUMBING NOTES

THE PLUMBING CONNECTIONS INDICATED ON THIS PLAN, ALL OTHER PLUMBING REQUIREMENTS (BATHROOMS, MOP SINKS, GENERAL FLOOR DRAINS, ETC.) ARE NOT SHOWN ON THIS PLAN.

ALL DIMENSIONS ARE FROM COLUMN, CENTERLINES AND/OR FINISHED WALLS. ALL DIMENSIONS ARE TO THE CENTERLINES OF ROUGH-INS.

THE FOLLOWING WORK IS TO BE PERFORMED BY DIVISION 15 - MECHANICAL:

- PROVIDE ALL ROUGH-IN AND CONNECTIONS TO FOODSERVICE EQUIPMENT.
- INSTALL ALL ACCESSORIES AND FITTINGS PROVIDED TOGETHER WITH FOODSERVICE EQUIPMENT.
- PROVIDE ALL VALVES, TRAPS, WATER AND PRESSURE REGULATORS, REDUCING VALVES, PIPING RUNS, SHOCK ABSORBERS, GREASE INTERCEPTORS, ETC. IN ORDER TO CONNECT FOODSERVICE EQUIPMENT TO BUILDING UTILITIES.
- FLUSH OUT ALL PIPING AND DRAINAGE SYSTEMS PRIOR TO CONNECTION OF FOODSERVICE EQUIPMENT.
- PROVIDE AND INSTALL SINK AND DRAINAGE SYSTEMS.
- PROVIDE AND INSTALL SPRINKLER SYSTEM, IF REQUIRED.
- PROVIDE AND INSTALL WATER SOFTENERS, FILTERS AND TREATMENT SYSTEMS.
- INSULATE 180°F HOT WATER FROM BOOSTER HEATER TO DISHWASHER INLET.
- INSTALL FIRE SUPPRESSION MECHANICAL GAS VALVE IN A VISIBLE AND ACCESSIBLE LOCATION.
- PROVIDE GAS PRESSURE OF 4" TO 7" W.C. AT COOKING EQUIPMENT.
- PROVIDE CONDUIT FOR REFRIGERATION LINES.
- HVAC CONTRACTOR TO HANG HOOD, PROVIDE AND INSTALL ALL DUCT WORK, EXHAUST AND SUPPLY FANS, CURBS, ROOF JACKS AND ROOF PENETRATIONS.
- HVAC CONTRACTOR TO PROVIDE AIR BALANCING.
- PROVIDE PROPER VENTILATION TO REFRIGERATION MECHINERY ROOM (MAX. 90°F), DRY STORAGE ROOMS (MAX. 15°F), AND WAREHOUSE ROOM.

PLUMBING LEGEND

CH	HOT WATER WITH SERVICE STOP
CW	COLD WATER WITH SERVICE STOP
CHW	HOT & COLD WATER WITH SERVICE STOP
CHWC	HOT & COLD WATER WITH SERVICE STOP & DRAIN
FD	FLOOR DRAIN
FFD	FLOOR DRAIN WITH FUNNEL
FS	FLOOR SINK WITH HALF GRATE
DR	DRAIN
G	GAS MAIN
GAS	GAS ROUGH IN WITH VALVE
EV/C	EXHAUST VENT CONNECTION
SVC	SUPPLY VENT CONNECTION
AF	ABOVE FINISHED FLOOR
BTC	BRANCH TO EQUIPMENT