

1. SERVICE SHUT OFF VALVE AND WATER ENTRY
2. \(\frac{3}{4}\)^* COLD WATER TO DROP DOWN IN WALL TO SERVE WATER CLOSET.
3. \(\frac{3}{2}\)^* CW AND \(\frac{1}{2}\)^* HW TO DROP DOWN IN WALL TO SERVE LAVATORY.
4. \(\frac{1}{2}\)^* CW AND \(\frac{1}{2}\) TO DROP DOWN IN WALL TO SERVE TO SINK.
5. \(\frac{1}{2}\)^* CW AND \(\frac{1}{2}\) TO DROP DOWN IN WALL TO SERVE TO MOP SINK.
6. \(\frac{1}{2}\)^* CW AND \(\frac{1}{2}\) TO DROP DOWN IN WALL TO SERVE TO 3 COMP.SINK.
7. \(\frac{1}{2}\)^* COLD WATER TO DROP DOWN IN WALL TO SERVE SODA MACHINE.
9. \(\frac{3}{4}\)^* COLD WATER TO DROP DOWN IN WALL TO SERVE TEA MACHINE.
9. \(\frac{3}{2}\)^* COLD WATER TO DROP DOWN IN WALL TO SERVE WATER HEATER. CODED NOTE: NOT ALL SYMBOLS NOTES SHOWN MAY BE USED ON THIS PROJECT.

							GAS GAS _	<u></u>		\bigcirc
PLUMBING SYMBOL	NEW PVC WASTE LINE	NEW PVC VENT LINE	NEW COLD WATER LINE	HOT WATER LINE			-usus GAS SUPPLY	- ISOLATION VALVE	PIPE UP	NMOD JAIA
YMBOL LEGEND	LAV	INE WC	R LINE <u>FD</u>	FS	<u>3-S</u>	FCO	(WH)	(
VD	LAVATORY	WATER CLOSET	FLOOR DRAIN	FLOOR SINK	3 COMP. SINK	FLOOR CLEANOUT	WATER HEATER			

	PIPE PLUMBING MATERIAL LEGEND
	WATER PIPING INSIDE BUILDING WILL BE COPPER.
N	SANITARY SEWER IS TO BE SCHEDULE 40 PVC W/DWV FITTINGS
W	VENT PIPING SHALL BE SCHEDULE 40 PVC
4	CLEANOUTS SHALL BE ZURN OR APPROVED EQUAL
Ø	WATER LINES ABOVE SLAB SHALL BE TYPE "L" COPPER. WATER LINES BELOW THE SLAB SHALL BE TYPE "M".
0	HOT WATER: INSULATION 1" FIBERGLAS PIPE
7	GAS PIPING: WILL BE BLACK IRON PIPE

Drawn by Scale Date 07-14-2010 AS SHOWN

reen Dr. 77083 -8128

CLOSET

3/4"

REMARKS MOUNT SUPPLY LINE 9" AFF MIN.

INTEGRAL

AM-SI PER FI SELF S PLATEI

ANDARD "CADET ELONGATED PRESSURE ASSISTED TOILET". USH BOWL/TANK COMBO WITH CHURCH 293SS WHITE O.F. USTAIN HINGE 1/2 "C.P. SUPPLY WITH CHROME PLATED) RISER. MOUNT 9" AFF MIN.

#2333.100 1.5 GALLON SEAT W/COVER AND STOP AND CHROME

SPECIFICATION

"P" TRAP SIZE

1/2"

1/2"

1/4"

1/4"

LAVATO

WITH RELIANT 2385.001 SINGLE LEVER 1 1/4 " C.P. P.TRAP 3/8 " CHROME

4" CENTER SET FAUCET W/POP PLATED ANGLE STOPS W/FLEX RISERS.

1/2"

100

1/2"

1/2"

2"

2"

2"

PROVIDE THE FOLLOWING SIZE BRANCH
CONNECTION TO THE DISTRIBUTION
MAIN—UNLESS OTHERWISE SPECIFIED

CW HW SAN. VENT

PLUMBING

FIXTURE

SCHEDULE

SCHLOTZSKY'S VICTORY LAKES TOWN CENTER TRACK 7A, NEC INTERSTATE HWY 45 & F.M.646 LEAGUE CITY TEXAS 77000

TRIMCOS DESIGN & ENG.		Rev.	
		Ву	
11222 RICHMOND AVE. SUITE# 225 HOUSTON TX, 77082			
(281) 558-9696 F-3926)ate	